

OUR ART TO BUILD PROFESSIONAL
ESPRESSO MACHINES

EXPOBAR[®]

EXPOBAR



FOR A PERFECT COFFEE EVERY DETAIL IS IMPORTANT. IT'S NOTHING ELSE BY OUR MACHINES.

Expobar is producer of professional coffee systems since 15 years. Because of the fusion with the Swedish group Coffee-Queen Expobar became the world wide biggest producer for Espresso machines: With more than 20.000 sold units per annum we are represented in 80 countries of the world. We offer the right solution for every area of application. For small and middle offices up to system gastronomy – pad machines up to half automatic machines with 3 groups.

We produce hand made professional machines out of best components and materials, which are perfect because of well engineered technique and a good price performance ratio. Innovative developments are deployed: the PID-technology for example is taking care for the constant temperature to have always the steady quality of coffee. Another highlight is the 3 boiler technology which is controlling the temperature of each group and is keeping another boiler ready for steam and hot water.


- *world wide the greatest producer of Espresso machines*

- *only selected materials and the best technology*

- *balanced price performance ratio*

- *service and spare parts in Germany*

- *starting by a Pad machine up to 3 groups machines*



Expobar means innovative technology
2 groups half automatic machines with PID technology and 3 boilers to supply the hot water and steam separately.

FUTURA LINE



Body made of stainless steel, inbuilt clock with timer or controlling of the temperature by digital display: The FUTURA LINE is not missing delicacies. Professional components packaged in innovative design. Nice shapes and easy to operate concept. The FUTURA EX 501 for example is able to control each group with the PID thermo system and stomer service.

EX 501

- Half automatic machine 2 groups
- PID technology with 3 boilers
- Boiler manometer
- Programming of the four different doses per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water

MODEL	GROUPS	W/H/D (mm)	BOILER/LITRE	WATT/VOLT	WEIGHT
EX 490	1 + build in grinder	455 x 690 x 580	6 litre	3.295 / 230	47
EX 493	1	455 x 523 x 580	6 litre	2.850 / 230	40
EX 496	2	677 x 523 x 580	6 litre	3.300 / 230	60
EX 501	2	677 x 523 x 580	1,7/1,7/11,5 litre	3.300 / 230	60
EX 502	2	677 x 523 x 580	11,5 litre	3.300 / 230	60
EX 505	2	677 x 523 x 580	11,5 litre	3.300 / 230	60
EX 511	3	967 x 523 x 580	17,5 litre	4.200 / 380	85
EX 538	2 + build in grinder	677 x 690 x 580	11,5 litre	3.300 / 230	60



EX 511

- Half automatic machine 3 groups
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 360 Cups per hour



EX 538

- Half automatic machine 2 groups
- Integrated professional Coffegrinder
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 240 Cups per hour



EX 505

- Half automatic machine 2 groups
- Digital display
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 240 Cups per hour



EX 502

- Half automatic machine 2 groups
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 240 Cups per hour



EX 496

- Half automatic machine 2 groups MINI
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 240 Cups per hour



EX 490

- Half automatic machine 1 group MINI
- Integrated professional coffegrinder
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 120 Cups per hour



EX 493

- Half automatic machine 1 group MINI
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 120 Cups per hour

ELEGANCE LINE



Elegant appearance, robust and nobly made out of stainless steel.

And the inside equipped with the best: Our ELEGANCE LINE.

The patented PREE BREW SYSTEM for example is guarantying maximum enjoyment of Espresso.

And of course here as well like by all of our machines:

Easy to handle and with German customer service.

MODEL	GROUPS	W/H/D (mm)	BOILER/LITRE	WATT/VOLT	WEIGHT
EX 370	1 + build in grinder	500 x 690 x 600	6 litre	2.850 / 230	47
EX 400	1	500 x 510 x 600	6 litre	2.850 / 230	40-45
EX 410	2	500 x 510 x 600	6 litre	3.300 / 230	45-45
EX 450	2	710 x 510 x 600	11,5 litre	3.300 / 230	60
EX 452	2 with display	710 x 510 x 600	11,5 litre	3.300 / 230	60
EX 460	3	990 x 510 x 600	17,5 litre	4.200 / 380	80

EX 370

- Half automatic machine 1 group MINI
- Integrated professional Coffee grinder
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 120 Cups per hour

**EX 460**

- Half automatic machine 3 groups
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 360 Cups per hour

**EX 452**

- Half automatic machine 2 groups
- Digital display
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 240 Cups per hour

**EX 450**

- Half automatic machine 2 groups
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 240 Cups per hour

**EX 410**

- Half automatic machine 2 groups MINI
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 240 Cups per hour

**EX 400**

- Half automatic machine 1 group MINI
- Four different dosage programming per group
- PREE BREW SYSTEM
- Professional rotary pump
- Integrated dust particles filter
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- Two steam taps and hot water
- Up to 120 Cups per hour

OFFICE LINE

Little but very fine. Our OFFICE LINE is shining because of best components and the perfect technology. Especially in the office area our flexible solutions are a speciality. The high light is certainly the nobly designed EX 237 BREWTUS with 2 boilers and a controlling system for the water temperature. We offer the best Espresso for this interesting target group.



MODEL	GROUPS	W/H/D (mm)	BOILER/LITRE	WATT/VOLT	WEIGHT
EX 236	1	240 x 380 x 450	1,8 litre	1.200 / 230	20
EX 237	1	240 x 380 x 450	1,8 litre	1.200 / 230	20
EX 237 BREWTUS	1	240 x 380 x 450	1,8/1,8 litre	2.400 / 230	25
EX 238	1 + build in grinder	400 x 550 x 450	1,8 litre	1.485 / 230	30
EX 239	1 + build in grinder	400 x 550 x 450	1,8 litre	1.485 / 230	30

EX 237 BREWTUS

- Half automatic machine 1 group
- Extra strong stainless steel body
- PID-technology and 2 boilers
- Boiler manometer and operating-pressure manometer
- High performance pump
- Boiler refilling automatically
- Optional Professional rotary pump with water connection
- Professional group Faema E 61 system
- Inclusive electric hot cups
- No burn steam tap and hot water
- flexible because of inbuilt water tank
- Up to 120 Cups per hour



EX 239

- Half automatic machine 1 group
- Integrated professionell coffee grinder
- Boiler manometer
- Four different dosage programming per group
- PREE BREW SYSTEM
- High performance pump
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- steam tap and hot water
- flexible because of inbuilt water tank
- Up to 120 Cups per hour



EX 238

- Half automatic machine 1 group
- Integrated professionell Coffee grinder
- Boiler manometer
- PREE BREW SYSTEM
- High performance pump
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- steam tap and hot water
- flexible because of inbuilt water tank
- Up to 120 Cups per hour



EX 237

- Half automatic machine 1 group
- Extra strong stainless steel body
- Boiler manometer
- High performance pump
- Integrated dust particles filter
- Thermosyphon-system
- Optional Professional rotary pump with water connection
- Professional group Faema E 61 system
- Inclusive electric hot cups
- steam tap and hot water
- flexible because of inbuilt water tank
- Up to 120 Cups per hour



EX 236

- Half automatic machine 1 group
- Four different dosage programming per group
- High performance pump
- PREE BREW SYSTEM
- Thermosyphon-system
- Professional group Faema E 61 system
- Inclusive electric hot cups
- steam tap and hot water
- flexible because of inbuilt water tank
- Up to 120 Cups per hour

ACCESSORIES

Every Espresso Machine is so good only how the accessories will allow. We offer selected components to ease the handling of our machines and to construct the pleasure with our machines.



CU 97 Space Inox

Weight 18 Kg. With automatic stop and high performance engine rotating speed 1300RPM, coffee dispense rcapacity 600 g grounded coffee, coffee dispenser regulation 5-12 g grounded coffee durability of coffee grinder blade 400-500 Kg Coffee, engine with protection for overheating.



CU 94 Tauro Inox

Weight 13 Kg, rotating speed 1300RPM, coffee dispenser capacity 600 g grounded coffee, coffee dispenser regulation 5-12 g grounded coffee, durability of coffee grinder blade 400-500 Kg Coffee, engine with protection for overheating.



CU 91 Full Metal

Weight 18 Kg, rotating speed 1300RPM, coffee dispenser capacity 600 g grounded coffee, coffee dispenser regulation 5-12 g grounded coffee, durability of coffee grinder blade 400-500 Kg Coffee, engine with protection for overheating.



CU 92 Tranquillo Reserve

Weight 10 Kg, rotating speed 1300RPM, coffee dispense capacity 600 g grounded coffee, coffee dispenser regulation 5-12 g grounded coffee, durability of coffeegrinder BLADE 400-500 Kg Coffee, engine with a protection for overheating. Optional stainless steel body.



EX 01000008

Water softener 8 L, Operating pressure from 0,1 up to 0,8 Mpa(1-6 bar).
Connection directly to the watersystem.



EX 01000012

Water softener 12 L, Operating pressure from 0,1 up to 0,8 Mpa(1-6 bar).
Connection directly to the watersystem.



EX 01000004

Water softener
Water softener EXPOCAL
The most profitable solution for the maintenance of our coffee machines.
The cleaning will be done automatically every 15 days. During this time the machine can be used.



EX 8527

Waste drawer
Fitting to our small OFFICE LINE machines
W/H/D: 290x105x515 mm



EX 8528

Waste drawer
Fitting to our MINI series machines
W/H/D: 414x105x515 mm



EX 8529

Waste drawer
Fitting to our machines with 2 groups
W/H/D: 700x105x515 mm



Boemsfeld 4 · D - 47627 Kevelaer
Fon +49 (0) 2825 53533-0 · Fax +49 (0) 2825 53533-19
www.expobar-germany.de · info@expobar-germany.de